

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 04/06/2016
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 155323	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED R-C 04/04/2016
NAME OF PROVIDER OR SUPPLIER LAKEVIEW VILLAGE SENIOR LIVING			STREET ADDRESS, CITY, STATE, ZIP CODE 410 TIOGA RD MONTICELLO, IN 47960		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
{F 000}	<p>INITIAL COMMENTS</p> <p>This visit was for the Post Survey Revisit (PSR) to the Investigation of Complaint IN00191836 completed on February 22, 2016.</p> <p>Complaint IN00191836 - corrected.</p> <p>Survey date: April 4, 2016</p> <p>Facility number: 000216 Provider number: 155323 AIM number: 100267580</p> <p>Census bed type: SNF/NF: 39 Total: 39</p> <p>Census payor type: Medicare: 3 Medicaid: 32 Other: 4 Total: 39</p> <p>Sample: 4</p> <p>Lakeview Village Senior Living was found to be compliance with 410 IAC 16.2-3.1 in regard to the PSR to the Investigation of Complaint IN00191836.</p> <p>Quality review completed by 32883 on 4/5/16.</p>	{F 000}			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.